	Application No.	Applicant(s)
Alatia a of Allanoshilito	10/076,838	MAJUMDAR ET AL.
Notice of Allowability	Examiner	Art Unit
	Jacob Cheu	1641
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to 12/7/2005.		
2. The allowed claim(s) is/are 1,3-7,12-14,16-18,22 and 24-36 are now renumbered 1-26.		
 3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some* c) ☐ None of the: 		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. Notice of References Cited (PTO-892)	5 □ Notice of Informal Pa	atent Application (PTO-152)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☑ Interview Summary	
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Date	e <u>12/19/2005</u> .
Paper No./Mail Date	<u> </u>	
 Examiner's Comment Regarding Requirement for Deposit of Biological Material 		nt of Reasons for Allowance
	9.	

Application/Control Number: 10/076,838

Art Unit: 1641

EXAMINER'S AMENDMENT

Page 2

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Heckadon on 12/19/2005.

The application has been amended as follows:

Claim 1, last two line, change "does not require" to -- does not include --.

Claim 14, line 8, change "does not require" to -- does not include --

Claim 30, last line, change "does not require" to -- does not include --.

Claim 32, last two line, change "does not require" to -- does not include --.

Claim 33, last two line, change "does not require" to -- does not include --.

Claim 36, line 12, change "does not require" to -- does not include --.

2. The following is an examiner's statement of reasons for allowance: no prior art teaches or fairly suggests using cantilever apparatus comprising cantilever arrays with fingers surrounded by frame finger where the cantilever finger in the array block comprises the sensing materials interacting with a predetermined substance whereby interaction would cause the diffraction grating to different light and thereby provide a change in a diffraction pattern or color of the

/ , k

Application/Control Number: 10/076,838

Art Unit: 1641

diffracted light, wherein the apparatus does not include an external source of electrical power for the cantilever palette. The closest prior art is the Quate et al. (US 6436647) where Quate et al. teach an apparatus of cantilever for detection of analyte in a sample. However, Quate et al. do not disclose the mechanical arrangement of frame cantilevers and fingers, and Quate et al. uses external power to detect cantilever bending instead of diffraction grating pattern change which does not require external power in this invention.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jacob Cheu whose telephone number is 571-272-0814. The examiner can normally be reached on 9:00-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Long Le can be reached on 571-272-0823. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Hall

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Jacob Cheu Examiner Art Unit 1641

December 21, 2005

LONG V. LE
SUPERVISORY PATENT EXAMINER

Page 3

TECHNOLOGY CENTER 1600